

**Bibliography of Oligocene-Quaternary Geology of the Rio Grande rift and Adjacent Areas  
in Northern New Mexico**

**(compiled by Gary Smith, University of New Mexico, 2002)**

- Aldrich, M.J., Jr., Chapin, C.E., and Laughlin, A.W., 1986, Stress history and tectonic development of the Rio Grande rift, New Mexico: *Journal of Geophysical Research*, v. 91, p. 6199-6211.
- Aldrich, M.J., Jr., and Dethier, D.P., 1990, Stratigraphic and tectonic evolution of the northern Española basin, Rio Grande rift, New Mexico: *Geological Society of America Bulletin*, v. 1-2, p. 1695-1705.
- Appelt, R.M., 1998,  $^{40}\text{Ar}/^{39}\text{Ar}$  geochronology and volcanic evolution of the Taos Plateau volcanic field, northern New Mexico and southern Colorado (M.S. thesis): Socorro, New Mexico Institute of Mining and Technology, 149 p.
- Aubele, J.C., 1979, The Cerros del Rio volcanic field: New Mexico Geological Society Guidebook, 30, p. 243-252.
- Bachman, G.O., 1975, Geologic map of the Madrid quadrangle, Santa Fe and Sandoval Counties, New Mexico: U.S. Geological Survey, Geologic Quadrangle Map GQ-1268, scale 1:62,500.
- Bachman, G.O., and Mehnert, H.H., 1978, New K-Ar dates and the late Pliocene to Holocene geomorphic history of the central Rio Grande rift region, New Mexico: *Geological Society of America Bulletin*, v. 89, p. 283-292.
- Bailey, R.A., Smith, R.L., and Ross, C.S., 1969, Stratigraphic nomenclature of volcanic rocks in the Jemez Mountains, New Mexico: U.S. Geological Survey, Bulletin 1274-P, 19 p.

- Baldrige, W.S., Damon, P.E., Shafiqullah, M., and Bridwell, R.J., 1980, Evolution of the central Rio Grande rift, New Mexico: new potassium-argon dates: *Earth and Planetary Science Letters*, v. 51, p. 309-321.
- Baldrige, W.S., Ferguson, J.F., Braile, L.W., Wang, B., Eckhardt, K., Evans, D., Schultz, C., Gilpin, B., Jiracek, G.R., and Biehler, S., 1994, The western boundary of the Rio Grande rift in northern New Mexico: an aborted boundary?: *Geological Society of America Bulletin*, v. 105, p. 1538-1558.
- Baldrige, W.S., Keller, G.R., Haak, V., Wendlandt, E., Jiracek, G.R., and Olsen, K.H., 1995, The Rio Grande rift; in Olsen, K.H., ed., *Continental rifts: evolution, structure and tectonics*: Amsterdam, Elsevier, v. 25, p. 233-275.
- Baldwin, B., 1956, The Santa Fe Group of North-Central New Mexico: *New Mexico Geological Society, Guidebook 7*, p. 115-121.
- Baltz, E.H., 1978, Resume of Rio Grande depression in north-central New Mexico: *New Mexico Bureau of Mines and Mineral Resources, Circular 163*, p. 210-228.
- Baltz, E.H., and O'Neill, J.M., 1984, Geologic map and cross-sections of the Mora River area, Sangre de Cristo Mountains, Mora County, New Mexico: *U.S. Geological Survey, Miscellaneous Investigations Series Map I-1456*, scale 1:24,000.
- Barker, F., 1958, Precambrian and Tertiary geology of the Las Tablas quadrangle, New Mexico: *New Mexico Bureau of Mines and Mineral Resources, Bulletin 45*, 104 p.
- Borchert, C., 2002, Geology and groundwater flow, Tesuque quadrangle, Santa Fe County, New Mexico: *University of New Mexico, M.S. thesis*.

- Borchert, C., and Read, A.S., 1998, Geology of the Tesuque 7.5-min. quadrangle, Santa Fe County, New Mexico, New Mexico Bureau of Geology and Mineral Resources, Open-file Geologic Map OF-GM 47, scale 1:24,000.
- Bauer, P.W., 1993, Proterozoic tectonic evolution of the Picuris Mountains, northern New Mexico: *Journal of Geology*, v. 101, p. 483-500.
- Bauer, P.W., Johnson, P.S., and Kelson, K.I., 1999, Geology and hydrogeology of the southern Taos Valley, Taos County, New Mexico: Final Technical Report, Office of the State Engineer, 41 p.
- Bauer, P.W., and Ralser, S., 1995, The Picuris-Pecos fault – repeatedly reactivated, from Proterozoic(?) to Neogene: *New Mexico Geological Society, Guidebook 46*, p. 111-116.
- Biehler, S., Ferguson, J., Baldrige, W.S., Jiracek, G.R., Aldren, J.L., Martinez, M., Fernandez, R., Romo, J., Gilpin, B., Braile, L.W., Hersey, D.R., Luyendyk, B.P., and Aiken, C.L., 1991, A geophysical model of the Española basin, Rio Grande rift, New Mexico: *Geophysics*, v. 56, p. 340-353.
- Bingler, E.C., 1965, Precambrian geology of the La Madera quadrangle, Rio Arriba County, New Mexico: *New Mexico Bureau of Mines and Mineral Resources, Bulletin 80*, 132 p.
- Bingler, E.C., 1968, Geology and mineral resources of Rio Arriba County, New Mexico: *New Mexico Bureau of Mines and Mineral Resources, Bulletin 91*, 158 p.
- Borchert, C., 1998, Geologic map of the Tesuque quadrangle, Santa Fe County, New Mexico: U.S. Geological Survey, EDMAP program final map and report, scale 1:24,000.
- Boyer, W.W., 1959, Playa deposit in the Bishop's Lodge Member of the Tesuque Formation, Santa Fe County, New Mexico: *Journal of Sedimentary Petrology*, v. 29, p. 64-72.

- Brister, B.S., and Gries, R.R., 1994, Tertiary stratigraphy and tectonic development of the Alamosa basin (northern San Luis basin), Rio Grande rift, south-central Colorado: Geological Society of America, Special Paper 291, p. 39-58.
- Broxton, D.E. and Reneau, S.L., 1996, Buried early Pleistocene landscapes beneath the Pajarito Plateau, northern New Mexico: New Mexico Geological Society, Guidebook 47, p. 325-334.
- Bryan, K., 1938, Geology and ground water conditions of the Rio Grande depression in Colorado and New Mexico: Rio Grande Joint Investigations in Upper Rio Grande Basins, v. 1, pt. 2, sec. 1, p. 196-225.
- Butler, A.P., Jr., 1946, Tertiary and Quaternary geology of the Tusas-Tres Piedras area, New Mexico (Ph.D. dissertation): Cambridge, Harvard University, 188 p.
- Butler, A.P., Jr., 1971, Tertiary volcanic stratigraphy of the eastern Tusas Mountains, southwest of the San Luis valley, Colorado-New Mexico: New Mexico Geological Society, Guidebook 22, p. 289-300.
- Cabot, E.C., 1938, Fault border of the Sangre de Cristo Mountains north of Santa Fe, New Mexico: Journal of Geology, v. 46, p. 88-105.
- Calvin, E.M., 1987, A review of the volcanic history and stratigraphy of northeastern New Mexico, the Ocate and Raton-Clayton volcanic fields: New Mexico Geological Society, Guidebook 38, p. 83-85.
- Cather, S.M., 1990, Reconnaissance geology of the Santa Fe Group near Amalia, New Mexico: New Mexico Geological Society, Guidebook 41, p. 337-340
- Cather, S.M., 1992, Suggested revisions to the Tertiary tectonic history of north-central New Mexico: New Mexico Geological Society, Guidebook 43, p. 109-122.

- Cavazza, W., 1985, Sedimentology, petrology, and basin analysis of the Tesuque Formation (Miocene) in the central Española basin, Rio Grande rift, New Mexico (M.S. thesis): Los Angeles, University of California, 125 p.
- Cavazza, W., 1986, Miocene sediment dispersal in the central Española basin, Rio Grande rift, New Mexico: *Sedimentary Geology*, v. 51, p. 119-135.
- Cavazza, W., 1989, Sedimentation patterns of a rift-filling unit, Tesuque Formation (Miocene), Española basin, Rio Grande rift, New Mexico: *Journal of Sedimentary Petrology*, v. 59, p. 287-296.
- CD-ROM Working Group, 2002, Structure and evolution of the lithosphere beneath the Rocky Mountains: Initial results of from the CD-ROM experiment: *GSA Today*, v. 12, no. 3, p. 4-10.
- Chamberlin, R.M., 1983, Cenozoic domino-style crustal extension in the Lemitar Mountains, New Mexico: a summary: *New Mexico Geological Society, Guidebook 34*, p. 111-118.
- Chapin, C.E., 1988, Axial basins of the northern and central Rio Grande rift; *in* Sloss, L.L., ed., *Sedimentary cover – North American craton*: U.S.: Geological Society of America, *The Geology of North America*, v. D-2, p. 165-170.
- Chapin, C.E., and Cather, S.M., 1994, Tectonic setting of the axial basins of the northern and central Rio Grande rift: *Geological Society of America, Special Paper 291*, p. 5-26.
- Chase, C.G., Gregory-Wodzicki, K.M., Parrish, J.T., and DeCelles, P.G., 1998, Topographic history of the western Cordillera of North America and controls on climate; *in* Crowley, T.J., and Burke, K., eds., *Tectonic boundary conditions for climate model simulations*: Oxford, Oxford University Press, p. 73-99.

- Church, F.S., and Hack, J.T., 1939, An exhumed erosion surface in the Jemez Mountains, New Mexico: *Journal of Geology*, v. 47, p. 613-629.
- Clark, J., 1975, Controls of sedimentation and provenance of sediments in the Oligocene of the central Rockies: *Geological Society of America, Memoir 144*, p. 95-118.
- Clark, K.F., and Read, C.B., 1972, Geology and ore deposits of Eagle Nest area, New Mexico: *New Mexico Bureau of Mines and Mineral Resources, Bulletin 94*, 152 p.
- Colpitts, R.M., and Smith, C.T., 1990, Geology of the Moreno Valley, Colfax County, New Mexico: *New Mexico Geological Society, Guidebook 41*, p. 219-228.
- Condie, K.C., 1979, Precambrian rocks of the Taos Range and vicinity, northern New Mexico: *New Mexico Geological Society, Guidebook 30*, p. 107-112.
- Connell, D.S., Koning, D.J., and Cather, S.M., 1999, Revisions to the stratigraphic nomenclature of the Santa Fe Group, northwestern Albuquerque basin, New Mexico: *New Mexico Geological Society, Guidebook 50*, p. 337-354.
- Cordell, L., 1978, Regional geophysical setting of the Rio Grande rift: *Geological Society of America Bulletin*, v. 89, p. 1073-1090.
- Cordell, L., 1979, Gravimetric expression of graben faulting in Santa Fe County and the Española basin, New Mexico: *New Mexico Geological Society, Guidebook 30*, p. 59-64.
- Czamanske, G.K., Foland, K.A., Kubacher, F.A., and Allen, J.C., 1990, The  $^{40}\text{Ar}/^{39}\text{Ar}$  chronology of caldera formation, intrusive activity and Mo-ore deposition near Questa, New Mexico: *New Mexico Geological Society, Guidebook 41*, p. 355-358.
- Denny, C.S., 1940, Santa Fe Formation in the Española Valley, New Mexico: *Geological Society of America Bulletin*, v. 51, p. 677-694.

- Dethier, D.P., 1996, Geologic map of the White Rock quadrangle: New Mexico Bureau of Mines and Mineral Resources, scale 1:24,000.
- Dethier, D.P., Harrington, C.D., and Aldrich, M.J., 1988, Late Cenozoic rates of erosion in the western Española basin, New Mexico: Evidence from geologic dating of erosion surfaces: Geological Society of America Bulletin, v. 100, p. 928-937.
- Dethier, D.P., and Manley, K., 1985, Geologic map of the Chili quadrangle, Rio Arriba County, New Mexico: U.S. Geological Survey Miscellaneous Field Studies Map MF-1814, scale 1:24,000.
- Dethier, D.P., and Martin, B.A., 1984, Geology and structure along part of the northeast Jemez Mountains, New Mexico: New Mexico Geological Society, Guidebook 35, p. 145-150.
- Disbrow, A.E., and Stoll, W.C., 1957, Geology of the Cerrillos area, Santa Fe County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 48, 73 p.
- Doney, H.H., 1968, Geology of the Cebolla quadrangle, Rio Arriba County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 92, 114 p.
- Dungan, M.A., Muehlberger, W.R., Leininger, L., Peterson, C., McMillan, N.J., Gunn, G., Lindstrom, M., and Haskin, L., 1984, Volcanic and sedimentary stratigraphy of the Rio Grande gorge and the late Cenozoic evolution of the southern San Luis valley: New Mexico Geological Society, Guidebook 35, p. 157-170.
- Eaton, G.P., 1986, A tectonic redefinition of the southern Rocky Mountains: Tectonophysics, v. 132, p.163-193.
- Ekas, L.M., Ingersoll, R.V., Baldrige, W.S., and Shafiqullah, M., 1984, The Chama-El Rito Formation, Española basin, New Mexico: New Mexico Geological Society, Guidebook 35, p. 137-143.

- Engebretson, D.C., Cox, A.C., and Gordon, R.G., 1985, Relative motion between oceanic and continental plates in the Pacific Basin: Geological Society of America Special Paper 206, 59 p.
- Erskine, D.W., and Smith, G.A., 1993, Compositional characterization of volcanic products from a primarily sedimentary record: Geological Society of America Bulletin, v. 105, p. 1214-1222.
- Erslev, E.A., 1999, Multistage, multidirectional horizontal compression during Laramide and mid-Tertiary deformation east of the Rio Grande rift, north-central New Mexico: New Mexico Geological Society, Guidebook 50, p. 22-23.
- Erslev, E.A., 2001, Multi-stage, multi-directional Tertiary shortening and compression in north-central New Mexico: Geological Society of America Bulletin, v. 113, p. 63-74.
- Ferguson, J.F., Baldrige, W.S., Braile, L.W., Biehler, S., Gilpin, B., and Jiracek, G.R., 1995, Structure of the Española basin, Rio Grande rift, New Mexico, from SAGE seismic and gravity data: New Mexico Geological Society, Guidebook 46, p. 105-115.
- Formento-Trigilio, M.L., and Pazzaglia, F.J., 1998, The tectonic geomorphology of Sierra Nacimiento; traditional and new techniques in assessing long-term landscape evolution of the southern Rocky Mountains: Journal of Geology, v. 106, p. 433-453.
- Frye, J.C., Leonard, C.B., and Glass, H.D., 1978, Late Cenozoic sediments, molluscan faunas, and clay minerals in northeastern New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 160, 32 p.
- Galusha, T. and Blick, J.C., 1971, Stratigraphy of the Santa Fe Group, New Mexico: American Museum of Natural History, Bulletin 144, 127 p.

Gardner, J.N., Goff, F., Garcia, S., and Hagan, R.C., 1986, Stratigraphic relations and lithologic variations in the Jemez volcanic field: *Journal of Geophysical Research*, v. 91, p. 1763-1778.

Goff, F., Gardner, J.N., and Valentine, G.A., 1990, Geology of St. Peter's Dome area, Jemez Mountains, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 69, 2 sheets, scale 1:24,000.

Golombek, M.P., McGill, G.E., and Brown, L., 1983, Tectonic and geologic evolution of the Española basin, Rio Grande rift: structure, rate of extension, and relation to the state of stress in the western United States: *Tectonophysics*, v. 94, p. 483-507.

Gonzalez, M.A., 1995, Use of erosional features for tectonic reconstructions and interbasin correlation: an example from the Rio Grande rift, northern New Mexico: *New Mexico Geological Society, Guidebook 46*, p. 139-145.

Gonzalez, M.A., and Dethier, D.P., 1991, Geomorphic and neotectonic evolution along the margin of the Colorado Plateau and Rio Grande rift, northern New Mexico: *New Mexico Bureau of Mines and Mineral Resources, Bulletin 137*, p. 29-45.

Gorham, T.W., and Ingersoll, R.V., 1979, Evolution of the Eocene Galisteo basin, north-central New Mexico: *New Mexico Geological Society, Guidebook 30*, p. 219-224.

Grambling, J.A., 1979, Precambrian geology of the Truchas Peaks region, north-central New Mexico, and some regional implications: *New Mexico Geological Society, Guidebook 30*, p. 135-144.

Grambling, J.A., Williams, M.L., and Mawer, C.K., 1988, Proterozoic tectonic assembly of New Mexico: *Geology*, v. 16, p. 724-727.

- Grant, P.R., 1999, Subsurface geology and related hydrogeologic conditions, Santa Fe embayment and contiguous areas, New Mexico: New Mexico Geological Society, Guidebook 50, p. 425-436.
- Gregory, K.M. and Chase, C.G., 1992, Tectonic and climatic significance of a late Eocene low-relief, high-level geomorphic surface, Colorado: *Journal of Geophysical Research*, v. 99, p. 20,141-20,160.
- Griggs, R.L., 1964, Geology and ground-water resources of the Los Alamos area, New Mexico: U. S. Geological Survey, Water Supply Paper 1753, 107 p.
- Gustavson, T.C., 1996, Fluvial and eolian depositional systems, paleosols, and paleoclimates of the upper Cenozoic Ogallala and Blackwater Draw Formations, Southern High Plains, Texas and New Mexico: Bureau of Economic Geology, Report of Investigation 239, 62 p.
- Ingersoll, R.V., 1990, Actualistic sandstone petrofacies: discriminating modern and ancient source rocks: *Geology*, v. 18, p. 733-736.
- Ingersoll, R.V., 2001, Structural and stratigraphic evolution of the Rio Grande rift, northern New Mexico and southern Colorado: *International Geology Review*, v. 43, p. 867-891.
- Ingersoll, R.V. and Cavazza, W., 1991, Reconstruction of Oligo-Miocene volcanoclastic dispersal patterns in north-central New Mexico using sandstone petrofacies; *in* Fisher, R.V. and Smith, G.A., eds., *Sedimentation in volcanic settings: SEPM (Society of Sedimentary Geology) Special Publication 45*, p. 227-236.
- Ingersoll, R.V., Cavazza, W., Baldrige, W.S., and Shafiqullah, M., 1990, Cenozoic sedimentation and paleotectonics of north-central New Mexico: implications for initiation and evolution of the Rio Grande rift: *Geological Society of America Bulletin*, v. 102, p. 1288-1296.

- Izett, G.A, and Obradovich, J.D., 2001,  $^{40}\text{Ar}/^{39}\text{Ar}$  ages of Miocene tuffs in basin-fill deposits (Santa Fe Group, New Mexico, and Troublesome Formation, Colorado) of the Rio Grande rift system: *The Mountain Geologist*, v. 38, p. 77-86.
- Johnson, C.M., Czamanske, G.K., and Lipman, P.W., 1989, Geochemistry of intrusive rocks associated with the Latir volcanic field, New Mexico, and contrast between evolution of plutonic and volcanic rocks: *Contributions to Mineralogy and Petrology*, v. 103, p. 90-109.
- Karlstrom, K.E., and Humphreys, G.D., 1998, Persistent influence of Proterozoic accretionary boundaries in the tectonic evolution of southwestern North America: Interaction of cratonic grain and mantle modification events: *Rocky Mountain Geology*, v. 33, p. 161-179.
- Karlstrom, K.E., Cather, S.M., Kelley, S.A., Heizler, M.T., Pazzaglia, F.J., and Roy, M., 1999, Sandia Mountains and Rio Grande rift, New Mexico: Ancestry of structures and history of deformation: *New Mexico Geological Society, Guidebook 50*, p. 155-166.
- Kautz, P.F., Ingersoll, R.V., Baldrige, W.S., Damon, P.E., and Shafiqullah, M., 1981, Geology of the Espinazo Formation (Oligocene), north-central New Mexico: *Geological Society of America*, part 2, v. 92, p. 2318-2400.
- Keller, G.R., Khan, M.A., Morgan, P., Wendlandt, R.F., Baldrige, W.S., Olsen, K.H., Prodehl, C., and Braile, L.W., 1991, A comparative study of the Rio Grande and Kenya rifts: *Tectonophysics*, v. 197, p. 355-371.
- Kelley, S.A., 1995, Evidence for post-Laramide displacement on the Picuris-Pecos fault: *New Mexico Geological Society, Guidebook 46*, p. 32-33.

Kelley, S.A., and Chapin, C.E., 1995, Apatite fission-track thermochronology of southern Rocky Mountain-Rio Grande rift-western High Plains provinces: : New Mexico Geological Society, Guidebook 46, p. 87-96.

Kelley., S.A., and Duncan, I.J., 1984, Tectonic history of the northern Rio Grande rift derived from apatite fission-track geochronology: New Mexico Geological Society, Guidebook 35, p. 67-74.

Kelley, S.A., Chapin, C.E., and Corrigan, J., 1992, Late Mesozoic to Cenozoic cooling histories of the flanks of the northern and central Rio Grande rift, Colorado and New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 145, 39 p.

Kelley, V.C., 1977, Geology of the Albuquerque basin, New Mexico: New Mexico Bureau of Mines and Mineral Resources Memoir 33, 59 p.

Kelley, V.C., 1978, Geology of the Española Basin, New Mexico: New Mexico Bureau of Mines and Mineral Resources Geologic Map 48, scale 1:250,000.

Kelley, V.C., 1979, Tectonics, middle Rio Grande rift, New Mexico; *in* Riecker, R.E., ed., Rio Grande rift: tectonics and magmatism: American Geophysical Union, Washington, p. 57-70.

Koning, D.J., 2002, Geology of the Española 7.5-min. quadrangle, Rio Arriba and Santa Fe Counties, New Mexico, New Mexico Bureau of Mines and Mineral Resources, Open-file Geologic Map OF-GM 54, scale 1:24,000.

Koning, D.J., and Hallett, R.B., 2001, Geology of the Turquoise Hill 7.5 minute quadrangle, Santa Fe County, New Mexico: New Mexico Bureau of Mines and Mineral Resources Open-File Geologic Map OF-GM41, scale 1:24,000.

- Koning, D.J., and Maldonado, F., 2001, Geology of the Horcado Ranch 7.5 minute quadrangle, Santa Fe County, New Mexico: New Mexico Bureau of Mines and Mineral Resources Open-File Geologic Map OF-GM44, scale 1:24,000.
- Koning, D.J., Nyman, M., Horning, R., Eppes, S., and Rogers, S., 2002 a, Geology of the Cundiyo 7.5-min. quadrangle, Santa Fe County, New Mexico, New Mexico Bureau of Mines and Mineral Resources, Open-file Geologic Map OF-GM 56, scale 1:24,000.
- Koning, D.J., Connell, S.D., Pazzaglia, F.J., and McIntosh, W.C., 2002, Redefinition of the Ancha Formation and Plio-Pleistocene deposition in the Santa Fe embayment, north-central new Mexico: *New Mexico Geology*, v. 24, p. 75-86.
- Kluth, C.F., and Schafenaar, C.H., 1994, Depth and geometry of the northern Rio Grande rift in the San Luis basin, south-central Colorado: Geological Society of America, Special Paper 291, p. 27-37.
- Kuhle, A.J., 1997, Sedimentology of Miocene alluvial-slope deposits, Espanola basin, Rio Grande rift: an outcrop analogue for subsurface heterogeneity (M.S. thesis): Albuquerque, University of New Mexico, 205 p.
- Kuhle, A.J., and Smith, G.A., 2001, Alluvial-slope deposition of the Skull Ridge Member of the Tesuque Formation, Española basin, New Mexico: *New Mexico Geology*, v. 23, p. 30-37.
- Large, E., and Ingersoll, R.V., 1997, Miocene and Pliocene sandstone petrofacies of the northern Albuquerque basin, New Mexico, and implications for evolution of the Rio Grande rift: *Journal of Sedimentary Research*, v. 67A, p. 462-468.

- Laughlin, A.W., Aldrich, M.J., Jr., Shafiqullah, M., and Husler, J., 1986, Tectonic implications of the age, composition, and orientation of lamprophyre dikes, Navajo volcanic field, Arizona: *Earth and Planetary Science Letters*, v. 76, p. 361-374.
- Leininger, R.L., 1982, Cenozoic evolution of the southernmost Taos Plateau, New Mexico (M.A. thesis): Austin, University of Texas, 110 p.
- Lipman, P.W., 1975a, Evolution of the Platoro caldera complex and related volcanic rocks, southeastern San Juan Mountains, Colorado: U.S. Geological Survey, Professional Paper 852, 128 p.
- Lipman, 1975b, Geologic map of the lower Conejos River canyon area, southeastern San Juan Mountains, Colorado: U.S. Geological Survey, Miscellaneous Investigations Map I-963, scale 1:48,000.
- Lipman, P.W., 1979, Cenozoic volcanism in the western United States: implications for continental tectonics, in *Continental Tectonics*: Washington, D.C., National Academy of Sciences, p.161-174.
- Lipman, P.W., 1983, The Miocene Questa caldera, northern New Mexico: relation to batholith emplacement and associated molybdenum mineralization: *Proceedings of the Denver Regional Exploration Geologists Society Symposium*, p. 133-147.
- Lipman, P.W., (compiler) 1989, Excursion 16B: Oligocene-Miocene San Juan volcanic field, Colorado: New Mexico Bureau of Mines and Mineral Resources Memoir 46, p. 303-380.
- Lipman, P.W., Dungan, M.A., Brown, L.L. and Deino, A., 1996, Recurrent eruption and subsidence at the Platoro caldera complex, southeastern San Juan volcanic field, Colorado: *New tales from old tuff: Geological Society of America Bulletin*, v. 108, p. 1039-1055.

- Lipman, P.W., and Mehnert, H.H., 1975, Late Cenozoic basaltic volcanism and development of the Rio Grande depression in the southern Rocky Mountains: Geological Society of America, Memoir 144, p. 119-154.
- Lipman, P.W., and Mehnert, H.H., 1979, The Taos Plateau volcanic field, northern Rio Grande rift, New Mexico; *in* Riecker, R.E., ed., Rio Grande rift: tectonics and magmatism: Washington, American Geophysical Union, p. 280-311.
- Lipman, P.W., and Reed, J.C., Jr., 1989, Geologic map of the Latir volcanic field and adjacent areas, northern New Mexico: U.S. Geological Survey, Miscellaneous Investigations Series Map I-1907, scale 1:48,000.
- Lisenbee, A.L., Woodward, L.A., and Connolly, J.R., 1979, Tijeras-Cañoncito fault system – a major zone of recurrent movement in north-central New Mexico: New Mexico Geological Society, Guidebook 30, p. 89-99.
- Lozinsky, R.P., 1994, Cenozoic stratigraphy, sandstone petrology, and depositional history of the Albuquerque basin, central New Mexico: Geological Society of America, Special Paper 291, p. 73-82.
- MacFadden, B.J., 1977, Magnetic-polarity stratigraphy of the Chamita Formation stratotype (Miocene) of north-central New Mexico: American Journal of Science, v. 94, p. 483-507.
- Manley, K., 1976a, The late Cenozoic history of the Española basin, New Mexico (Ph.D. dissertation): Boulder, University of Colorado, 171 p.
- Manley, 1976b, K-Ar age determinations on Pliocene basalts from the Española basin, New Mexico: Isochron/West, no. 16, p. 29-30.

- Manley, K., 1977, Geologic map of the Cejita Member (new name) of the Tesuque Formation, Española basin, New Mexico: U.S. Geological Survey, Miscellaneous Field Studies Map MF-877.
- Manley, K., 1979a, Stratigraphy and structure of the Española basin, Rio Grande rift, New Mexico, *in* Riecker, R.E., ed., Rio Grande rift: tectonics and magmatism: American Geophysical Union, Washington, p. 71-86.
- Manley, K., 1979b, Tertiary and Quaternary stratigraphy of the northeast plateau, Española basin, New Mexico: New Mexico Geological Society, Guidebook 30, p. 231-236.
- Manley, K., 1981, Redefinition and description of the Los Pinos Formation of north-central New Mexico: Geological Society of American Bulletin, part 1, v. 92, p. 984-989.
- Manley, K., 1984, Brief summary of the Tertiary geologic history of the Rio Grande rift in northern New Mexico: New Mexico Geological Society, Guidebook 35, p. 63-66.
- Manley, K., and Mehnert, H.H., 1981, New K-Ar ages for Miocene and Pliocene volcanic rocks in the northwestern Española basin and their relationships to the history of the Rio Grande rift: *Isochron/West*, no. 30, p. 5-8.
- Manley and Wobus, 1982a, Reconnaissance geologic map of the Mule Canyon quadrangle, Rio Arriba County, New Mexico: U.S. Geological Survey, Miscellaneous Field Studies Map MF-1407, scale 1:24,000.
- Manley, K., and Wobus, R.A., 1982b, Reconnaissance geologic map of the Las Tablas quadrangle, Rio Arriba County, New Mexico: U.S. Geological Survey, Miscellaneous Field Studies Map MF-1408, scale 1:24,000.
- May, S.J., 1979, Neogene stratigraphy and structure of the Ojo Caliente-Rio Chama area, Española Basin, New Mexico: New Mexico Geological Society, Guidebook 30, p. 83-88.

- May, S.J., 1980, Neogene geology of the Ojo Caliente-Rio Chama area, Española basin, New Mexico (Ph.D. dissertation): Albuquerque, University of New Mexico, 204 p.
- May, S.J., 1984a, Miocene stratigraphic relations and problems between the Abiquiu, Los Pinos and Tesuque Formations near Ojo Caliente, northern Española basin: New Mexico Geological Society, Guidebook 35, p. 129-135.
- May, S.J., 1984b, Exhumed mid-Miocene volcanic field in the Tesuque Formation, northern Española basin, New Mexico: : New Mexico Geological Society, Guidebook 35, p. 171-178.
- Maynard, S.R., Martin, K.W., Nelson, C.J., and Schutz, J.L., 1990, Geology and gold mineralization of the Ortiz Mountains, Santa Fe County, New Mexico: Mining Engineering, v. 42, p. 1007-1011.
- Mayo, E.B., 1958, Lineament tectonics and some ore districts of the Southwest: Mining Engineering, v. 211, p. 1169-1175.
- McDonald, D.W., 1999, The development of the Miranda graben helps to constrain the early history of the Rio Grande rift near Taos, New Mexico [abstr.]: Geological Society of America Abstracts with Programs, v. 31, no. 7, p. A187.
- McDowell, F.W., Roden, M.F., and Smith, D., 1986, Comments on "Tectonic implications of the age, composition, and orientation of lamprophyre dikes, Navajo volcanic field, Arizona", by A.W. Laughlin, M.J., Aldrich, Jr., M. Shafiqullah, and J. Husler: Earth and Planetary Science Letters, v. 80, p. 415-417.
- McIntosh, W.C., and Quade, J., 1995,  $^{40}\text{Ar}/^{39}\text{Ar}$  geochronology of tephra layers in the Santa Fe Group, Española basin, New Mexico: New Mexico Geological Society, Guidebook 46, p. 279-287.

- McMillan, M.E., Angevine, C.L., and Heller, P.L., 2002, Postdepositional tilt of the Miocene-Pliocene Ogallala Group on the western Great Plains: Evidence of late Cenozoic uplift of the Rocky Mountains: *Geology*, v. 30, p. 63-66.
- Menges, C.M., 1990, Late Quaternary fault scarps, mountain-front landforms, and Pliocene-Quaternary segmentation on the range-bounding fault zone, Sangre de Cristo Mountains, New Mexico: Geological Society of America, *Reviews in Engineering Geology*, v. 8, p. 131-156.
- Menges, C.M., and Walker, J., 1990, Geomorphic analyses of scarps along the eastern border of the Valle Vidal, north-central New Mexico: New Mexico Geological Society, *Guidebook 41*, p. 431-438.
- Miller, J.P., Montgomery, A., and Sutherland, P.K., 1963, Geology of part of the southern Sangre de Cristo Mountains, New Mexico: New Mexico Bureau of Mines and Mineral Resources, *Memoir 11*, 106 p.
- Montgomery, A., 1953, Precambrian geology of the Picuris Range, north-central New Mexico: New Mexico Bureau of Mines and Mineral Resources, *Bulletin 30*, 89 p.:
- Moore, J.D., 2000, Tectonics and volcanism during deposition of the Oligocene-lower Miocene Abiquiu Formation in northern New Mexico (M.S. thesis): Albuquerque, University of New Mexico, 147 p.
- Morgan, P. and Golombek, M.P., 1984, Factors controlling the phases and styles of extension in the northern Rio Grande rift: New Mexico Geological Society, *Guidebook 35*, p. 13-20.
- Morgan, P., Seager, W.R., and Golombek, M.P., 1986, Cenozoic thermal, mechanical and tectonic evolution of the Rio Grande rift: *Journal of Geophysical Research*, v. 91, p. 6263-6276.

- Muehlberger, W.R., 1967, Geology of the Chama quadrangle: New Mexico Bureau of Mines and Mineral Resources, Bulletin 89, 114 p.
- Muehlberger, W.R., 1968, Geology of the Brazos Peak quadrangle, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 22, scale 1:48,000 + 7 p. text.
- Muehlberger, W.R., 1979, The Embudo fault between Pilar and Arroyo Hondo, New Mexico: an active intracontinental transform fault: New Mexico Geological Society, Guidebook 30, p. 77-82.
- Nielsen, K.C. and Scott, T.E., Jr., 1979, Precambrian deformational history of the Picuris Mountains, New Mexico: New Mexico Geological Society, Guidebook 30, p. 113-120.
- Olmsted, B.W., 2000,  $^{40}\text{Ar}/^{39}\text{Ar}$  investigations of the Ocate volcanic field, north-central New Mexico (M.S. thesis): Socorro, New Mexico Institute of Mining and Technology, 217 p.
- O'Neill, J.M., 1988, Late Cenozoic physiographic evolution of the Ocate volcanic field: U.S. Geological Survey, Professional Paper 1478B, 19 p.
- O'Neill, J.M., and Mehnert, H.H., 1988, The Ocate volcanic field – description of volcanic vents and the geochronology, petrography, and whole-rock chemistry of associated flows: : U.S. Geological Survey, Professional Paper 1478A, 30 p.
- O'Neill, J.M., and Mehnert, H.H., 1990, Late Cenozoic volcanism, uplift and erosion, southern Sangre de Cristo Mountains, New Mexico: New Mexico Geological Society, Guidebook 41, p. 349-353.
- Pazzaglia, F.J., and Kelley, S.A., 1998, Large-scale geomorphology and fission track thermochronology in topography and exhumation reconstructions of the southern Rocky Mountains: *Rocky Mountain Geology*, v. 33, p. 259-277.

Perkins, M.E., Brown, F.H., Nash, W.P., McIntosh, W., and Williams, S.K., 1998, Sequence, age, and source of silicic fallout tuffs in middle to late Miocene basins of the northern Basin and Range province: *Geological Society of America Bulletin*, v. 100, p. 344-360.

Perkins, M.E., and Nash, B.P., 2002, Explosive silicic volcanism of the Yellowstone hotspot: the ash fall tuff record: *Geological Society of America Bulletin*, v. 114, p. 367-381.

Purtymun, W.D., 1995, Geologic and hydrologic records of observation wells, test holes, test wells, supply wells, springs and surface water stations in the Los Alamos area: Los Alamos National Laboratory, Report La-12883-Ms, 339 p.

Read, A.S., Rogers, J., Ralser, S., Ilg, B., Kelley, S., 1999, Geology of the Seton Village 7.5-min quadrangle, Santa Fe County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Open-file Geologic Map OG-GM 23, scale 1:12,000

Read, A.S., Rogers, J., Ralser, S., Smith, G., Bauer, P.W., 2000, Geology of the Santa Fe 7.5-min. quadrangle, Santa Fe County, New Mexico, New Mexico Bureau of Mines and Mineral Resources, Open-file Geologic Map OF-GM 32, scale 1:12,000.

Rehder, T.R., 1986, Stratigraphy, sedimentology, and petrography of the Picuris Formation in Ranchos de Taos and Tres Ritos quadrangles, north-central New Mexico (M.S. thesis): Dallas, Southern Methodist University, 110 p.

Reneau, S.L. and Dethier, D.P., 1996, Pliocene and Quaternary history of the Rio Grande, White Rock Canyon and vicinity, New Mexico: New Mexico Geological Society, Guidebook 47, p. 317-324.

Rhoads, M. and Smith, G.A., 1995, Contrasting modes of tephra preservation in the Skull Ridge Member of the Tesuque Formation: New Mexico Geological Society, Guidebook 46, p. 5.

- Rogers, K.L., Larson, E.E., Smith, G.A., Katzman, D., Smith, G.R., Cerling, T., Wang, Y., Baker, R.G., Lohmann, K.C., Repenning, C.A., Pattersopn, P., Mackie, G., 1992, Pliocene and Pleistocene geologic and climatic evolution in the San Luis valley of south-central Colorado: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 94, p. 55-86.
- Roy, M., Karlstrom, K.E., Kelley, S.A., Pazzaglia, F.J., and Cather, S.A., 1999, Topographic setting of the Rio Grande rift, New Mexico: Assessing the role of “rift-flank uplift” in the Sandia Mountains: : New Mexico Geological Society, Guidebook 50, p. 167-174.
- Salyards, S.L., Ni, J.F., and Aldrich, M.J., Jr., 1994, Variation in paleomagnetic rotations and kinematics of the north-central Rio Grande rift, New Mexico: *Geological Society of America Special Paper 291*, p. 59-72.
- Sauer, R.R., 1999, Petrochemistry and geochronology of plutons relative to tectonics in the San Pedro-Ortiz porphyry belt, New Mexico (M.S. thesis): Boulder, University of Colorado, 115 p.
- Sawyer, D.A., Shroba, R.R., Minor, S.A. and Thompson, R.A., 2002, Geologic map of the Tetilla Peak quadrangle, Santa Fe and Sandoval Counties, New Mexico: U.S. Geological Survey Miscellaneous Field Studies Map MF-2352, scale 1:24,000.
- Scott, G.R., 1975, Cenozoic surfaces and deposits in the southern Rocky Mountains: *Geological Society of America, Memoir 144*, p. 227-248.
- Smith, C.T., Budding, A.J., and Pitrat, C.W., 1961, New Mexico Bureau of Mines and Mineral Resources, *Bulletin 75*, 57 p.
- Smith, G.A., 1995, Paleogeographic, volcanologic and tectonic significance of the upper Abiquiu Formation at Arroyo del Cobre, New Mexico: : New Mexico Geological Society, Guidebook 46, p. 261-270.

- Smith, G.A., 2000, Oligocene onset of Santa Fe Group sedimentation near Santa Fe, New Mexico [abstr.]: *New Mexico Geology*, v. 22, p. 43.
- Smith, G.A., 2001, Development of a pyroclastic apron adjacent to rhyolite domes in a subsiding basin: Upper Miocene Peralta Tuff, Jemez Mountains, New Mexico, *in* L.S. Crumpler and S.G. Lucas, eds., *Volcanology in New Mexico: New Mexico Museum of Natural History and Science Bulletin* 18, p. 85-96.
- Smith, G.A., and Battuello, P.A., 1990, Sedimentation pattern of a rift-filling unit, Tesuque Formation (Miocene), Española basin, Rio Grande rift, New Mexico - Discussion: *Journal of Sedimentary Petrology*, v. 60, p. 175-177.
- Smith, G.A. and Kuhle, A.J., 1997, Hydrostratigraphic implications of new geological mapping in the Santo Domingo basin, New Mexico: *New Mexico Geology*, v. 20, p. 21-27.
- Smith, G.A., Larsen, D., Harland, S.S., McIntosh, W.C., Erskine, D.W., and Taylor, S.B., 1991, A tale of two volcanoclastic aprons: field guide to the sedimentology and physical volcanology of the Oligocene Espinazo Formation and Miocene Peralta Tuff, north-central New Mexico: *New Mexico Bureau of Mines and Mineral Resources Bulletin* 137, p. 87-103.
- Smith, G.A., McIntosh, W.C., and Kuhle, A.J., 2001, Sedimentologic and geomorphic evidence for teeter-totter subsidence of the Santo Domingo accommodation-zone basin, Rio Grande rift, New Mexico: *Geological Society of America Bulletin*, v. 113, p. 561-574.
- Smith, G.A., Moore, J.D., and McIntosh, W.C., 2002, Assessing roles of volcanism and basin subsidence in causing Oligocene-lower Miocene sedimentation in the northern Rio Grande rift, New Mexico: *Journal of Sedimentary Research*, v. 72, p. 836-848.

- Smith, G.A. and Pazzaglia, F.J., 1995, The Pliocene(?) Borrego pediment surface and development of the western Sangre de Cristo Mountains range front: New Mexico Geological Society, Guidebook 46, p. 6-8.
- Smith, H. T. U., 1938, Tertiary geology of the Abiquiu quadrangle, New Mexico: *Journal of Geology*, v. 46, p. 933-965.
- Smith, L.N., Lucas, S.G., and Elston, W.E., 1985, Paleogene stratigraphy, sedimentation and volcanism of New Mexico; in Flores, R.M., and Kaplan, S.S., eds., *Cenozoic paleogeography of west-central United States: Denver, Rocky Mountain Section – SEPM*, p. 293-315.
- Smith, R.L., Bailey, R.A., and Ross, C.S., 1970, Geologic map of the Jemez Mountains, New Mexico: U.S. Geological Survey, Miscellaneous Investigation Map I-571, scale 1:125,000.
- Spell, T.L., Harrison, T.M., and Wolff, J.A., 1990,  $^{40}\text{Ar}/^{39}\text{Ar}$  dating of the Bandelier Tuff and San Diego Canyon ignimbrites, Jemez Mountains, New Mexico: Temporal constraints on magmatic evolution: *Journal of Volcanology and Geothermal Research*, v. 43, p. 175-193.
- Spiegel, Z., and Baldwin, B., 1963, Geology and water resources of the Santa Fe area, New Mexico: U.S. Geological Survey, Water-Supply Paper 1525, 258 p.
- Stearns, C.E., 1953, Early Tertiary volcanism in the Galisteo-Tongue area, north-central New Mexico: *American Journal of Science*, v. 251, p. 415-452.
- Steinpress, M.G., 1980, Neogene stratigraphy and structure of the Dixon area, Española basin, north-central New Mexico (M.S. thesis): Albuquerque, University of New Mexico, 127 p.
- Stormer, J.C., 1972, Ages and nature of volcanic activity on the southern High Plains, New Mexico and Colorado: *Geological Society of America Bulletin*, v. 83, p. 2443-2448.

- Stroud, J.R., 1997, The geochronology of the Raton-Clayton volcanic field, with implications for volcanic history and landscape evolution (M.S. thesis): Socorro, New Mexico Institute of Mining and Technology, 51 p.
- Sun, M.-S., and Baldwin, B., 1958, Volcanic rocks of the Cienega area, Santa Fe County, New Mexico: New Mexico Bureau of Mines and Mineral Resources Bulletin 54, 80 p.
- Tandon, K., Brown, L., and Hearn, T., 1999, Deep structure of the northern Rio Grande rift beneath San Luis basin (Colorado) from a seismic reflection survey: Implications for rift evolution: *Tectonophysics*, v. 302, p. 41-56.
- Taylor, R.B., 1975, Neogene tectonism in south-central Colorado: Geological Society of America, Memoir 144, p. 95-118.
- Tedford, R.H., and Barghoorn, S.F., 1993, Neogene stratigraphy and mammalian biochronology of the Española basin, New Mexico: New Mexico Museum of Natural History and Science, Bulletin 2, p. 159-168.
- Thompson, R.A., and Machette, M.N., 1989, Geologic map of the San Luis Hills area, Conejos and Costillo Counties, Colorado: U.S. Geological Survey, Miscellaneous Investigations Map I-1906, scale 1:50,000.
- Thompson, R. A., Johnson, C. M., and Mehnert, H. H., 1991, Oligocene basaltic volcanism of the northern Rio Grande rift; San Luis Hills, Colorado: *Journal of Geophysical Research*, v. 96, p. 13,577-13,592.
- Timmer, R.S., 1976, Geology and sedimentary copper deposits in the western part of the Jarosa and Seven Springs quadrangles, Rio Arriba and Sandoval Counties, New Mexico (M.S. thesis): Albuquerque, University of New Mexico, 151 p.

- Turbeville, B.N., 1991, The influence of ephemeral processes on pyroclastic sedimentation in a rift-basin, volcanoclastic-alluvial sequence, Española basin, New Mexico: *Sedimentary Geology*, v. 74, p. 139-155.
- Turbeville, B.N., Waresback, D.B., and Self, S., 1989, Lava dome growth and explosive volcanism in the Jemez Mountains, New Mexico: Evidence from the Plio-Pleistocene Puye alluvial fan: *Journal of Volcanology and Geothermal Research*, v. 36, p. 267-291.
- Tweto, O., 1979, The Rio Grande rift system in Colorado; *in* Riecker, R.E., ed., Rio Grande rift: tectonics and magmatism: Washington, American Geophysical Union, p. 33-56.
- Vazzana, M.E., 1980, Stratigraphy, sedimentary petrology and basin analysis of the Abiquiu Formation (Oligo-Miocene), north-central New Mexico (M.S. thesis): Albuquerque, University of New Mexico, 115 p.
- Vazzana, M.E., and Ingersoll, R.V., 1981, Stratigraphy, sedimentary petrology and basin analysis of the Abiquiu Formation (Oligo-Miocene), north-central New Mexico: *Geological Society of America Bulletin*, v. 92, pt. 1, p. 990-992.
- Vernon, J.H., and Riecker, R.E., 1989, Significant Cenozoic faulting, east margin of the Española basin, Rio Grande rift, New Mexico: *Geology*, v. 17, p. 230-233.
- Wallace, A.R., 1995, Cenozoic rift-related sedimentation and faulting, northern Culebra Range, southern Colorado: New Mexico Geological Society, Guidebook 46, p. 147-153.
- Waresback, D.B., 1986, The Puye Formation, New Mexico: Analysis of a continental rift-filling volcanoclastic alluvial fan sequence (M.S. thesis): Arlington, University of Texas, 217 p.
- Waresback, D.B., and Turbeville, B.N., 1990, Evolution of a Plio-Pleistocene volcanogenic-alluvial fan: the Puye Formation, Jemez Mountains, New Mexico: *Geological Society of America Bulletin*, v. 102, p. 298-314.

- Wawrzyniec, T.F., 1999, Dextral transcurrent deformation of the eastern margin of the Colorado Plateau (USA) and the mechanics of footwall uplift along the Simplon normal fault (Switzerland/Italy) [Ph.D. thesis]: Albuquerque, University of New Mexico, 253 p.
- Wells, S.G., Kelson, K.I., and Menges, C.M., 1987, Quaternary fluvial systems in the northern Rio Grande rift, New Mexico and Colorado: implications for entrenchment and integration of drainage systems, in Menges, C.M., ed., Quaternary tectonics, landform evolution, soil chronologies, and glacial deposits - northern Rio Grande rift of New Mexico: Friends of the Pleistocene, Rocky Mountain Cell, Field Trip Guidebook, p. 55-70.
- Wisniewski, P.A., 1999, A fluvial record of rock uplift along the Jemez Lineament, Great Plains of northeastern New Mexico (M.S. thesis): Albuquerque, University of New Mexico, 118 p.
- Wisniewski, P.A., and Pazzaglia, F.J., 2002, Epeirogenic controls on the Canadian River incision and landscape evolution, High Plains of northeastern New Mexico: *Journal of Geology*, v. 110.
- WoldeGabriel, G., Warren, R.G., Broxton, D.E., Vaniman, D.T., Heizler, M.T., Kluk, E.C., and Peters, L., 2001, Episodic volcanism, petrology, and lithostratigraphy of the Pajarito Plateau and adjacent areas of the Española Basin and the Jemez Mountains, *in* L.S. Crumpler and S.G. Lucas, eds., *Volcanology in New Mexico: New Mexico Museum of Natural History and Science Bulletin* 18, p. 97-130.
- Wong, I., Kelson, K., Olig, S., Bott, J., Green, R., Kolbe, T., Hemphill-Haley, M., Gardner, J., Reaneu, S., and Silva, W., 1996, Earthquake potential and ground shaking hazard at the Los Alamos National Laboratory, New Mexico: New Mexico Geological Society, Guidebook 47, p. 135-142.

- Winkler, D.A., 1987, Vertebrate-bearing eolian unit from the Ogallala Group (Miocene) in northwestern Texas: *Geology*, v. 15, p. 705-708.
- Wobus, R.A., and Manley, K., 1982, Reconnaissance geologic map of the Burned Mountain quadrangle, Rio Arriba County, New Mexico: U.S. Geological Survey, Miscellaneous Field Studies Map MF-1409, scale 1:24,000.
- Wobus, R.A., 1984, An overview of the Precambrian geology of the Tusas Range, north-central New Mexico: *New Mexico Geological Society, Guidebook 35*, p. 193-198.
- WoldeGabriel, G., Laughlin, A.W., Dethier, D.P., and Heizler, M., 1996, Temporal and geochemical trends of lavas in White Rock Canyon and the Pajarito Plateau, Jemez volcanic field, New Mexico, USA: *New Mexico Geological Society, Guidebook 47*, p. 251-262.
- Wright, H.E., Jr., 1956, Origin of the Chuska Sandstone, Arizona-New Mexico: A structural and petrographic study of a Tertiary eolian sediment: *Geological Society of America Bulletin*, v. 67, p. 413-434.